Notice of Allowability	Application No.	Applicant(s)
	10/621,092	YOSHIHARA ET AL.
	Examiner	Art Unit
	Thuy V. Tran	2821
The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication is subjected.	application. If not included on will be mailed in due course. <b>THIS</b>
1. This communication is responsive to <u>amendment submitter</u>	d on 8/13/04 & telephone interview	v held 8/30/04.
2. The allowed claim(s) is/are <u>1-3</u> .		
3.   The drawings filed on are accepted by the Examine	r.	
<ul> <li>4. Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	e been received. e been received in Application No.	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		ly complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
<ul> <li>6.  CORRECTED DRAWINGS (as "replacement sheets") must (a)  including changes required by the Notice of Draftspers 1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Paper No./Mail Date <u>083004</u>.</li> <li>Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the paper No./Including the paper</li></ul>	son's Patent Drawing Review (PTG).  s Amendment / Comment or in the  .84(c)) should be written on the draw he header according to 37 CFR 1.12 sit of BIOLOGICAL MATERIAL	e Office action of wings in the front (not the back) of 1(d).  I must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGI	CAL MATERIAL.
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ul>	6. Interview Summa Paper No./Mail D	Date <u>083004</u> .
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stater 9. Other	Thuy V. Tran Examiner
		Art Unit: 2821

Application/Control Number: 10/621,092

Art Unit: 2821

### **DETAILED ACTION**

This is a response to the Applicants' amendment submitted on August 13<sup>th</sup>, 2004. In virtue of this amendment, claims 1-3 are currently presented in the instant application.

# Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Aaron A. Fishman on August 30<sup>th</sup>, 2004. The amendment includes:

### Page 2 of the amendment:

Change the amended title to --MAGNETRON HAVING SPECIFIC DIMENSIONS FOR SOLVING NOISE PROBLEM--

#### Claim 1:

Line 19, change "s1" to --Rs1--;

Line 21, change "s2" to --Rs2--;

Line 22, change "a" to --Ra--; and

Line 25, change ""Rp"" to --Rp--;

#### **Drawings:**

Figs. 10-11, 12(a)-(e), and 13: labeled as --PRIOR ART--.

# Allowable Subject Matter

2. Claims 1-3 are allowed.

# Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or fairly suggest:

\* A magnetron wherein, in such a case that radial dimension of an outer circumference of the small-diameter strap ring is Rs1, a radial dimension of an inner

Application/Control Number: 10/621,092

Art Unit: 2821

Ų

circumference of the large-diameter strap ring is Rs2, a radius of a circumference inscribed to tip portions of the anode vanes is Ra, and a radius of a central flat portion of the output sided magnetic piece located in a vicinity of each of the anode vanes is Rp; values of Ra, Rs1, Rs2, Rp are set in a manner that satisfies both following formulae (1) and (2):

$$1.85$$
Ra  $\leq$  (Rs1+Rs2)/2  $\leq$  1.96Ra ...(1); and

$$Rs1 \prec Rp \prec Rs2 \dots (2)$$

in combination with the remaining claimed limitations as called for in independent claim 1 (claims 2 and 3 are allowed since they are dependent on claim 1).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

# **Inquiry**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy V. Tran whose telephone number is (571) 272-1828. The examiner can normally be reached on M-F (8:00 AM -5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2821

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thuy V. Tran Examiner Art Unit 2821

Munghan

08/30/2004